
RA 900 Sauber
Accessories brush heading

As at: 04/10/17 Time:13:25



RA 900 Sauber - Zubehör Bürstenkopf / Accessoires brush heading
Accessoires tête de brosse


B 4-09.2012

RA 900 Sauber
Accessories brush heading

As at: 04/10/17 Time:13:25

Pos.	Description	Reference
01	Handle	910.064
02	Countersunk allenscrew M 5x12	P...480 U
03	Support rail	910.063
04	Rail	910.065
06	Lapp hinge 12x16x2	P...496 AD
07	Grubscrew M 6x10	P...484 Y
08	Support	910.082
09	Safety devisk disk Ø 9	P...500 V
10	Countersunk allenscrew M 6x12	P...487 U
11	Cylindrical screw M 8x35	P...487 ZA
12	SpacerM 8	P...500 T
13	Rejecting wheel Ø 90 mm	510.127
14	Distance washer	432.508
16	Holder	910.085
17	U-shim M 8	P...497 N
18	Hexagon nut M 8	P...490 E
19	Spacer M 6	P...497 H
20	Allen screw M 6x20	P...489 K
21	Scubbing brush compl.	910.059
21.1	Silicium carbride brush	910.476
21.2	Exposed aggregate pavement brush	910.573
22	Drive pin	710.462
23	Spacer M 6	P...510 L
24	Locknut M 6	P...492 K
26	Driving disc	910.070
27	Pad red 432 mm	694.322
27.1	Pad blue 432 mm	694.323
27.2	Pad brown 432 mm	694.324
33	Hexagon socket screw M 8x25	P...487 D
34	Spray protection + rubber blade, Set Standard	910.071
34.1	Spray protection + rubber blade, set transparent oil resistant	910.072
35	Spray protection beige standard	910.067
35.1	Spray protection oil resistant	910.069
36	Rubber blade rear beige standard	910.066
36.1	Rubber blade rear oil resistant	910.068

RA 900 Sauber
Einbau Batterie
Stand: 10.04.2017 / 13:28 Uhr



RA 800/900 Sauber - Einbau Batterie / Montage de la batterie / Batterie assembling B 13a-06.2015


RA 900 Sauber
Einbau Batterie

Stand: 10.04.2017 / 13:28 Uhr

Pos.	Bezeichnung	Art. Nr.
01	4 Gel-Batterien à 6 V / 240 Ah	800-091
02	Kabelbaum Saugmotor-Elektronik	800.719
03	Batterieverbindungslitze 10 mm2, L=200 mm	560.995
04	Polabdeckung zu Endableiter A-pol	P...357 D

RA 900 Sauber
Steering element

As at: 04/10/17 Time:13:25




RA 900 Sauber
Steering element

As at: 04/10/17 Time:13:25

Pos.	Description	Reference
01	Steering column	800.307
02	Allen screw M 6	P...486 X
03	U-shim M 6	P...497 H
04	Bearing housing	800.311
05	Locknut DIN 985 M 10\r\n	P 492 Q
06	Locknut M 8	P...492 H
07	Grub allen screws M 8x20	P...482 U
08	U-shim 13x45	P...500 O
09	Permaglide sleeve Ø 30	P...321 A
10	Steering chain	800.190
11	Sprocket	800.201
12	Steering column spindle	800.309
13	Universal joint	800.315
14	Bearing column for steering column	800.305
15	Permaglide sleeve Ø 25	P...321 C
16	Bearing link	P...325
17	Ball bearing 6001 ZZ	P...316 J
18	Bearing head right, processed	800.169 B
19	Screw DIN 85 A M 3x12	P 475 B
21	Distance sleeve for steering	800.187
22	Steering rod right, processed	800.169 A
23	Steering rod right compl. contenant pos. 18,22,25,26,27,33	800.169
24	Steering rod left compl. contenant pos. 16,17,19,21	800.168
25	Fish-plate	800.170
26	Washer DIN 125 A M 8 8,4/16/1,6	P 496 P
27	Screw DIN 912 M 8x25	P 487 D
28	Slide block	800.192
29	Can	800.211
30	Locknut M 6	P...493 K
31	Allen screw M 6x45	P...488 U
32	Connecting link with feather/spring	800.191
33	Ring DIN 127 B M 8 8,1/14,8/2	P 498 N

RA 900 Sauber
Adjustment brush device
As at: 04/10/17 Time:13:25




RA 900 Sauber
Adjustment brush device

As at: 04/10/17 Time:13:25

Pos.	Description	Reference
01	Washer M 6	P...496 L
02	Castor	800.215
03	Allen-screw M 6x40	P...486 Y
04	Lever	910.212
05	Rhomboid lever	800.213
06	Reset-bar	910.221
07	Permaglide sleve 10 mm	530.182
08	Swivel pin	800.224
09	Bearing sleeve	800.211
10	Locknut M 6	P...493 K
11	Parallelogramm cross-tie	910.218
12	Head screw M 4x40	P...476 K
13	Lockring 9 mm	P...500 L
14	Shaft	910.219
15	Clip for bearing	800.220
16	Hexagon screw M 10x25	P...470 D
17	Motor head holder	910.080
18	Spacer M 5	P...497 E
19	Distance sleeve 14x11	910.223
20	Hexagon screw M 6x100	P...470 J
21	Rondelle54x10.5x3	P...204 A
22	Adjusting motor 130 mm	800.222
23	Allen screw M 5x30	P...488 Z
24	Distance sleeve 10x22.5	800.233
25	Locknut M 5	P...493 G
27	Allen screw M 6x16	P...488 P
28	Hexagon screw M 8x80 to machine no.8606	P...473 J
30	Brush device compl.	910.050
31	Stopper pin	910.084
34	Allens crew M 5x16	P...488 G
35	Spacer M 10/10.5/30/2.5	P...496 S
36	Rubber buffer Ø=30x20 M 8x20	910.149
37	Handle	910.148
38	Cylindrical screw M 8x30	P...488 V
39	Permashide sleeve	800.159
40	Cylindrical screw M 6x16	P...477 K
41	U-shim M 8	P...496 P
42	Lubrication fitting straight	800.194
43	Lubrication fitting curved	800.193
44	Lock nut M 4	P...49
45	Tension spring 204x28x4 mm	910.217
46	Tension spring 101,4x20x2,8 mm	800.288

RA 900 Sauber
Brush device Pos.1-36

As at: 04/10/17 Time:13:26




RA 900 Sauber - Bürstenkopf / Brush device / Systeme de brosse B 6-03.2015

RA 900 Sauber
Brush device Pos.1-36

As at: 04/10/17 Time:13:26

Pos.	Description	Reference
01	Bumper	910.076
02	Brush motor compl.	800.120
02a	Pair of carbon brushes	710.441 A
03	Round buffer	710.448
04	Locknut M 6	P...492 K
05	Washer	P...497 H
06	Hexagon nut M 20x1.35	P...492 R
07	Lock washer M 20	P...498 Q
08	Brush device compl.	910.050
09	U-shim M 10	P...498 R
10	Hexagon screw M 10x16	P...471 R
11	DIN 912 M6 x 22	P...486X
12	Distance ring	3611851
13	Grooved ball bearing 6205 ZZ	P...316 P
14	Belt pulley D171 preassembled	710.420
15	Primary shaft	742.125
16	Belt pulley D167 preassembled	710.423
17	Belt pulley D167 compl.	710.422
18	Belt pulley D171 compl.	710.421
20	Bolt	800.063
21	Deflection pulley cpl. incl. Pos, 39 and 40	710.437
23	U-shim M 8	P...496 J
24	Hexagon screw M 8x16	P...472 V
25	Countersunk allenscrew M 8x16	P...480 Q
26	Tension jack	800.074
27	Bolt	800.072
29	Rib band	910.417
30	Stop angle	800.087
31	Washer	P...510 M
32	Screw M 10x25	P...470 D
33	Cover plate	910.078
34	Foam rubber profile	P...340 D
35	Allen screw M 5x6	P...489 C
36	Deflection pulley cpl. incl. Pos, 39 and 40	800.060
37	V-profile ring	P...343 A
38	Security ring DIN 471 25/1,2	P...513 D
39	Security washer DIN 472 35/1,5	782.603
40	Ball bearing 6202 ZZ NS7	6426442
41	Washer DIN9021 M6 6,4/18/1,6A2	P...497 H
42	Screw DIN 933 M6x12 A2	P...472 R

RA 900 Sauber
Brush device Pos.37-56
As at: 04/10/17 Time:13:26




RA 900 Sauber
Brush device Pos.37-56

As at: 04/10/17 Time:13:26

Pos.	Description	Reference
37	Driving plate compl.	710.425
38	Allen screw M 5x8	P...488 E
39	Washer M 5	P...496 H
40	Spring for driving plate (Set)	701.429
43	ring DIN 127B M6 6,1/11,8/1,6	P...498 U
44	Allen screw M 6x16	P...488 P
45	Steel washer	710.428
46	Spring washer M 4	P...500 E
47	Allen screw M 4x8	P...488 D
48	Allen screw M 8x30	P...488 V
49	Weight	910.077
50	Balance lead	710.415
51	Countersunk allenscrew M 8x45	P…479 P
52	Adapter complete including items 53-56	710.450
53	Adapter	710.451
54	Small hose for adaptor	710.452
55	O-ring	710.453
56	Spray tube	701.452

RA 900 Sauber
Drive unit for wheel support

As at: 04/10/17 Time:13:26



RA 800 / 900 Sauber
Fahrwerk / Drive unit for wheel support / Bloc moteur pour le socle support


B 16-07.2013

RA 900 Sauber
Drive unit for wheel support

As at: 04/10/17 Time:13:26

Pos.	Description	Reference
01	Feather ring M 8	P...498 N
02	Allen screw M 8x16	P...472 V
03	U-shim M 8	P...497 T
04	Steering blade right	800.164
05	Cotter 5x5x20	P...474 E
06	Allen screw M 5x20	P...488 I
07	Steering blade left	800.162
08	Axis blade left	800.160
09	Permaglide sleeve	800.289
10	Frontwheel front incl. Bearing Pos. 18	800.165
11	Axis blade right	800.161
12	Allen screw M 8x25	P...487 D
13	Ring DIN 127B M8 8,1/14,8/2	P...498 N
14	Wheel cover red	800.175
15	Drive motor 24V, 800W with cable	800.156 A
16	Allen screw M 8x140	P...489 L
17	Backwheel	800.157
18	Ball bearing 6005 2RS	P...316 V
19	Allen screw M 5x30 INOX	P...488 Z
20	U-shim M 5	P...497 E
21	Distance washer Ø 10x22.5	800.233
22	Adjustment drive suction nozzle	800.245
23	U-shim M 6	P...497 H
24	Distanz washer	800.255
25	Lever to nozzle removal	800.254
26	Allen screw M 6x40	P...486 Y
27	Permaglide sleeve	530.182
28	Ball stud with thread	P...512 D
29	Lift rod compl.	800.265
30	Engine boarding	800.511
31	Pair of carbon brushes	800.156 KB
32	Buffer rear right	800.370
33	Buffer rear left	800.375
34	Stop screw nut M 5	P...493 G
35		800.347
36	Distance washer	800.173
38	Keil DIN 6885 A 8/7/40	P...474 D
39	brake shoe	800.225
40	brake disc	800.226
41	Drive motor compl.	800.155

RA 900 Sauber
Wiring diagram
As at: 04/10/17 Time:13:27




RA 800 / 900 - Stromlaufplan / Diagramme électrique / Wiring diagram B 18-08.2013

RA 900 Sauber
Wiring diagram

As at: 04/10/17 Time:13:27

Pos.	Description	Reference

RA 900 Sauber
Electronic
As at: 04/10/17 Time:13:27




RA 900 Sauber
Electronic

As at: 04/10/17 Time:13:27

Pos.	Description	Reference
01	Allen screw M 8x16	P...489 I
02	Pressure spring compl.	800.484
03	Sink allen screw M 6x16	P...487 W
04	Holder for pull rope	800.478
05	Fuse switch	710.323
06	Allen screw M 4x12	P...486 B
07	Allen screw M 8x12	P...488 X
08	Serrated washer M 8	P...499 F
09	Round bumper M 6x20x15	500.499
10	Owner control	800.709
11	Allen screw M 6x12	P...486 Q
12	Trio + Controller 150A	800.707
13	Serrated washer M 5	P...498 D
14	Allen screw M 5x25	P...488 K
15	Pin-type insolator M 8	P...366 A
16	Grub screw M 8x40	P...483
17	U-shim	P...496 P
18	Fuse 125 A	800.704
19	insulating nut M 8	710.353
21	Cableloop socket 80A-battery	800.715
22	Cableloop chargeplug 80A-electronic	910.716
23	Cable bushing 14 mm	P...207 A
24	Signal alarm	800.535
25	Terminal box bottom part	P...379
26	Termional box cover	P...379 A
27	PT-screw KA 30x14	P...516 S
28	Allen crew M 5x40	P...486 N
29	Hour meter	800.703
30	Holding plate f. hour meter to machine No.8733.001	800.702
31	Distance sleeve 5.2x10x10	P...509 F
32	Blanking cover hour meter to machine No.8733.001	800.701

RA 900 Sauber
Filter for raw parts

As at: 04/10/17 Time:13:28




RA 900 Sauber
Filter for raw parts

As at: 04/10/17 Time:13:28

Pos.	Description	Reference
01	Filter for raw parts	800.640
02	Axle	800.643
03	Holder compl.	800.641
04	Countersunk-head screw A2 M 4x12	P...480 E
05	Filter for raw parts	800.648
06	Spring catch	800.644
07	Button head rivet Ø 3x6 A2 DIN 660	P...485 N
08	Washer DIN 9021 M 4 4,3/12/10 A2	P...497 C
09	Locknut DIN 985 M 3 A2	P...493 C
10	Screw DIN 85 A M 3x20	P...475 BA
11	Perforated plate	800.642

RA 900 Sauber
Brake system


As at: 04/10/17 Time:13:29



RA 900 Sauber
Brake system
As at: 04/10/17 Time:13:29

Pos.	Description	Reference
01	Control bar	P...085 H
02	Stop	800.172
03	Adjusting ring without grub screw	P...329
04	Flanged bearing sleeve	800.154
05	Grub screw M 6x6	P...481 C
06	Hand brake handle	800.240
07	Clip plate	800.238
08	Sleeve 20x12x10	800.154
09	Adjustment	800.239
10	Pan hed screw M 3x12	P...475 B
11	Locknut M 3	P...493 C
12	Brake disc compl.	800.226
13	Distance sleeve	800.173
14	Brake line right	800.335
15	Brake line left	800.338
16	Brake calipers	800.225
17	Holding plate f. brake cable	800.333
18	Locknut M 6	P...492 K
19	Locknut M 8	P...492 H
20	Feather key	P...474 B
21	Swing cone	800.241
22	Allen screw M 5x12	P...486 H
23	Adherence	800.242
24	Brake lever	800.230
25	Flanged bearing sleeve	800.231
26	U-shim M 16	P...500 R
27	Lockring	P...513 Z
28	Hexagon nut 3/8"	P...535 B
29	Control lever to emergency brake	800.237
30	Blower shim M 6	P...498 J
31	Allen screw M 6x12	P...472 R
32	Feather key	P...513 Q
33	Footbrake lever	800.235
34	Grub screw M 6x45	P...513 N
35	Permaglide sleeve 12/14/12	P...321
36	Locking compl.	800.243

RA 900 Sauber
Clean water tank as from machine no. 9219.001
As at: 04/10/17 Time:13:29



RA 900 - Frischwassertank / Clean water tank / Seau d'eau propre
ab Masch. Nr. / as from machine no. / à partier de appareils no 9219.001

B 17a-03.2016

RA 900 Sauber
Clean water tank as from machine no. 9219.001


As at: 04/10/17 Time:13:29

Pos.	Description	Reference
01	Control box with foot pedal	800.710
03	Allen screw M 8x12	P...479 R
04	Bottom plate	800.490
05	Hinge front	800.477
06	U-shim M 6	P...496 V
07	Allen screw M 8x16	P...488 P
08	Spindle for seathinge	800.488
09	Lock washer	P...513 Z
10	Hinge for seat cushion	800.489
11	Allen screw M 6x12	P...487 U
12	Sealing collar	P...019
13	canister holder	800.449
14	U-shim M 6	P...497 K
15	Screw DIN 912 M6x8	P...486 YD
16	Black cap Ø 16mm	P...171 I
17	Sheet screw 4.8x19	P...483 O
18	U-shim M 4	P...497 C
19	Cover freshwatertank	800.465
20	Sink allen screw M 6x18 as from machine no. 9017.001	P...487 WA
21	U-shim M 6	P...497 H
22	Allen screw M 6x16	P...486 R
23	Rear panel right	800.493
24	Rear panel left	800.492
25	Allen screw M 8x100	P...472 X
26	Corner bumper front right	800.360
27	Bumper compl.	800.345
28	Corner bumper front left	800.365
29	U-shim M 8	P...495 Z
30	Cover plate	800.494
31	Freshwatertank compl.	800.450
32	Allen screw M 8x40	P...487 I
33	Allen screw M 8x30	P...488 V
34	Angle nozzle WN 8\r\n	P...541 O
35	Level indicator	800.452 A
36	Spacer bushing	430.618
37	Seat cushion	800.486
38	Support angle	800.473
39	Pen Head screw M 6x8	P…475 P
40	Allen screw M 6x16	P…488 P
41	Spraying protection rag	800.626
42	Washer M 6x25	P…510 L
43	Ball 7mm	P...469 C
44	Nut DIN 985 M4	P...493 D
45	Washer M 5	P...497 E

46	Cable strap owner	125.111
47	Allen srew M 5x6	P...489 C
48	PMA Clip NW 12	P...571 F
49	Washer M 6	P...500 Q
50	Foot pedal drive motor	800.003
51	Micro switch	800.004
52	Potentiometer drive motor	800.005

RA 900 Sauber
Steering column as from machine no. 9234.001

As at: 04/10/17 Time:13:30




RA 900 Sauber
Steering column as from machine no. 9234.001

As at: 04/10/17 Time:13:30

Pos.	Description	Reference
01	Allen screw M 8x20	P...487 B
02	U-shim 6x25	P...510 L
03	Steering wheel	800.328
04	Bellows	800.327
05	Allen screw M 4x12	P...488 A
06	Cone	800.330
07	Compensater switch 24 V DC	P...241
09	Key holder	P...244 C
10	Univers. Trucharge Display Module	800.708
11	Potentiometer 10 kOhm	560.376
12	Lock ring Ø 35	P...801 J
13	Steering column	800.500
14	Cover plate	800.501
15	Locknut M 8	P...492 H
16	U-shim M 8	P...495 Z
17	Allen screw M 8x55	P...489 H
18	Cylinder handle bar	800.521
19	Protection bellows	800.520
20	Cover	560.373
21	Turn button	560.372
22	Press button yellow	800.527
23	Bearing sleeve	800.329
24	Control panel	800.512
25	Rocker arm lever on/off with nut and washer	800.515
26	Emergency off-switch round	800.530
27	Switch element for Emergency-stop switch 1 pole.	800.531
28	Blind cover	P...245

RA 900 Sauber
Wastewater tank

As at: 04/10/17 Time:13:30




RA 900 Sauber
Wastewater tank

As at: 04/10/17 Time:13:30

Pos.	Description	Reference
01	Cover compl.	800.610
02	Allen-screw 5x10	P...489 E
03	U-shim M 6	P...497 K
04	Distance-sleeve	430.618
05	Frame-joint cover	710.122
06	Cover	800.613
07	Countersink M 4x8	P...480 O
08	Cover-seal	710.121
09	Filterscreen	400.766 A
10	Suction bend	430.735
11	Suction beak left	800.627
12	Suction beak right	800.625
13	Angle	560.674
14	Tapping screw 3.5x9.5	P...484 N
15	Float incl. level sensor	800.671
16	Wastewater tank	800.606
17	Holder for hose	P...109 G
18	U-shim M 5	P...497 G
19	Allen-screw M 5x25	P...488 K
20	U-shim M 5	6230217
21	Stop screw nut M 5	P...493 G
22	Discharge hose cpl. 1100 mm	P...561 A
23	Discharge hose Set up to Masch. Nr. 9040.001	800.127
24	Freshwater tank charnier	800.475
25	Hose clamp	P...206 D
26	Frame joint for wastewatertank	800.615
27	U-shim M 6	P...497 K
28	Allen-screw M 6x12	P...486 R
30	Tab compl. Pos. 31-35	800.617
31	Tab	800.616
32	U-shim M 8	P...497 T
33	U-shim Ø 54x10.5x3 mm	P...204 A
34	Stop screw nut M 8	P...492 N
35	Allen screw M 8x100	P...489 A
36	hinge pin	800.499
37	Washer for bolt DIN 6799 12/23.4/1.3	500 P
38	Srew DIN 912 M 6x16 A2	P 488 P
39	Ring DIN 127 B M 6 6,1/11,8/1,6	P 498 U

RA 900 Sauber
Waterdistribution

As at: 04/10/17 Time:13:31




RA 900 Sauber
Waterdistribution

As at: 04/10/17 Time:13:31

Pos.	Description	Reference
01	Double nipple	P...520 E
02	Ball stop cock	500.355
03	Nipple straight 12/R 3/8"	P...540 N
04	Connecting hose\r\n	800.043
05	Loop for cover	500.414
06	Cover	500.413
07	Angle nipple	P...541 C
08	Allen screw M 4x12	P...488 A
09	Spring ring M 4	P...500 E
10	Magnetic valve	500.291 E
11	Hose magnetic valve	800.045
12	Hose pump \r\n	432.151
13	Water filter	430.759 A
14	Hose brush right	800.047
15	Angle nipple WES 8/R3/8”	P...541 M
16	Hose water filter	800.042
17	Serrated washer M 4	P...499 B
18	Allen screw M 4x12	P...486 A
19	Hose brush left	800.046
20	U-shim M 5	P...497 E
21	Membrane pump 24 V	P?824
22	Allen screw M 5x20	P...488 I
23	Hose freshwatertank-filter	800.041
24	Filter cover	430.258
25	Filter kit	430.759 A
26	Impact protection	800.470
27	PT screw KA 50x35	P...515 N
28	Allen screw M 6x16	P...497 H
29	U-shim M 6	P...488 P
30	Rubber support	800.454
31	Rubber support narrowly	800.454 A
32	Rubber documents to freshwater tank starting from Masch.Nr.8736.001	800.461
33	Single solenoid valva plug	800.316
34	Y-piece 8 mm	P...542 E
35	Angle nipple WES 12/R3/8"	P...541 D

RA 900 Sauber
Vacuum motor

As at: 04/10/17 Time:13:31



RA 800 / 900 - Sauggebläse / Vacuum motor / Moteur d'aspiration B 2-11.2015


RA 900 Sauber
Vacuum motor

As at: 04/10/17 Time:13:31

Pos.	Description	Reference
01	Flashlight red	800.620
02	Rubber sheet	800.621
03	Back cushion	800.480
04	Allen-screw M 6x22	P...486 X
05	aspirator	440.206
06	Round buffer 20x25 mm	400.217
07	Grub screw M 6x60	P...489 M
08	Bearing sleeve	800.211
09	CR grommet black, inner diameter Ø 10mm	041.405
10	U-shim	P?497 K
11	PM Aflex, black, NW 10, L = 150mm	P...571 G
12	Isolation hose 280 mm\r\n	400.227
13	Exhaust duct	800.630
14	Fixation bracket	800.623
15	Allen-screw M 6x35	P?486 U
16	U-shim M 6	P?497 H
17	Cylinder head screw M 6x25	P?488 Q
18	Bushing for wire	710.159
19	Locknut M 6	P?492 I
20	Cord to Wastewater tank	800.624
21	Sound damming hood	530.737
22	Crew 4.8x18	P...483 O
23	Allen-screw M 6x16	P...487 Z
24	Plug Ø 15 mm	P...168
25	U-shim M 6	P...497 K
27	Cable support	P...360
28	Cable strap owner	125.111
29	Isolation hose 195 mm	800.053

RA 900 Sauber
Suction nozzle

As at: 04/10/17 Time:13:32




RA 900 Sauber
Suction nozzle

As at: 04/10/17 Time:13:32

Pos.	Description	Reference
01	Suction nozzle compl.	800.550
01.1	Rubber blade, oil resistant	800.081
01.2	Rubber blade, standard	800.082
01.3	Blade standard gray / beige for mach with blackened. suction nozzle	800.082A
01.4	Grease and oil-resistant rubber blade with blackened transparent to mach. suction nozzle	800.081A
02	Allen screw M 8x40\r\n	P...473 D
03	U-shim M 8	P...500 N
04	Roller	800.561
05	Bolt short	800.423
06	Allen screw M 8x20	P...489 J
07	Screw DIN 912 M5x25 A2	P...488 K
08	Washer DIN 7349 M8 8,4/21/4	P...495 Z
09	Locknut M 8\r\n	P...491 N
10	Fastening plate right	800.417
11	Fastening plate left	800.418
12	Holding plate small back	800.413
13	Support rail	800.411
15	Suction nozzle body	800.415
17	Holding front	800.414
18	Adjusting screw	800.425
19	Holding plate front	800.412
20	Asterisk grasp screw Ø 62 M 8x18 mm	P...253 M
21	Allen screw M 8x35	P...473 C
22	Countersunk screw	P...479 A
23	Guidance angle	800.416
24	Hose complete	800.580

RA 900 Sauber
Suspension suction nozzle-a

As at: 04/10/17 Time:13:33



RA 800/900 Sauber - Saugdüsenaufhängung / Suspension suction nozzle
Suspension bec de dévolteur

B 14a-10.2011


RA 900 Sauber
Suspension suction nozzle-a

As at: 04/10/17 Time:13:33

Pos.	Description	Reference
45	Lift rod compl. Pos. 46-57	800.265
46	Lift rod	800.261
47	Ball cup	P…512 C
48	Lift rod	800.262
49	Nut M 8	P...490 E
50	Hexagon nut M 12	P...490 G
51	Compression spring Ø 88x18.5x2.5	800.290
52	Permaglide flanged bush	P...321 F
53	Guide pin	800.273
54	Disc DIN 9021 M 5 5,3/15/1,2 A2	P...497 E
55	Guide pin	800.291
56	Lock washers DIN 6798 M 5 5,1/90,5 A2	P...498 D
57	screw DIN 933 M5 x 10 A2	P472E
58	Nozzle holder compl.	800.427
59	Nozzle holder starting from Masch.Nr. 8939	800.427 A
60	Pin starting from masch. No. 8939	800.426
61	Grub screw M6x12 starting from masch.No.8939	P...480 ZA
62	Fuse starting from masch.No. 8939	P...493 K
63	Fuse starting from masch.No. 8939	P...511 D
64	Washer starting from masch.No. 8939	P...496 AB
65	Nozzle support angle	800.430
66	Screw DIN 912 M 8x20	P...487 B
67	Disc DIN 522 M 8 8,4/20/1,2	P...496 J
68	Ring DIN 127 B M 8 8,1/14,8/2	P...498 N
69	Bearing bush panning support	710.528

RA 900 Sauber
Suspension suction nozzle

As at: 04/10/17 Time:13:33



RA 800/900 Sauber - Saugdüsenaufhängung / Suspension suction nozzle
Suspension bec de dévolteur

B 14-02.2012

RA 900 Sauber
Suspension suction nozzle

As at: 04/10/17 Time:13:33

Pos.	Description	Reference
01	Nozzle support	800.152
02	Lever	800.271
03	Permaglide sleeve 10/12/7	530.182
04	Lift rod compl.	800.265
05	Connectiong loop compl. included pos. 6	800.285
06	Permaglide sleeve 8/10	P...321 D
07	Axis	800.292
08	Lockring Ø 6	P...500 K
09	Tturnpipe left compl. incl. Pos. 22	800.295 K
10	Mounting plate compl.	800.280
11	Rod right cpl. Incl. Pos. 12	800.277
12	Permaglide sleeve 12/14	P...321 F
13	U-shim M 12	P...497 S
14	Articulation cone	800.284
15	U-shim M 8	P...496 P
16	Allen screw M 10x16	P...472 W
17	U-shim M 10	P...510 M
18	Turnpipe right compl. incl. pos. 22	800.296 K
19	Locknut M 6	P...493 K
20	Spacer Ø 6x25	P...510 L
21	Grub allen screw M 6x60	P...489 M
22	Permaglide sleeve 16/18/12	800.289
23	Pressure spring	P...809 E
24	Turn plate compl. included pos. 22	800.297
25	Nozzle support angle	800.430
26	U-shim M 8	P...497 T
27	Double swivel roller Ø 50	P...205 D
28	U-shim M 8	P...496 P
29	Locknut DIN 985 M 8	P...492 H
30	Disc DIN 6799 7	P...513 P
31	Mainspring	800.287
32	Allen screw M 8x35	P...487 ZA
33	Axis 12x82	800.279
34	Disk 9/18,8/1,1 A2	P...500 L
35	Disc DIN 522 M 8 8,4/20/1,2	P...496 J
36	Lever compl.	800.270
37	Permaglide sleeve 16/18/12	383.140
38	Disc DIN 433 M 10 10,5/18/1,6 A2	P...500 S
39	Hexagon nut M 6	P...490 D
40	Axle	800.275
41	Mainspring	800.293
42	Rod left cpl. Incl. Pos. 12	800.274